By Special Appointment To His Majesty the King. MINTON TILES Established A.D. 1840. COMPLETE PRICE LIST Manufactory & Showrooms: MINTON, HOLLINS & Co. PATENT TILE WORKS, . . STOKE-UPON-TRENT. London House MINTON & Co., & Showrooms: 109 GREAT PORTLAND ST., ALL COMMUNICATIONS SHOULD BE ADDRESSED IN FULL TO PATENT TILE WORKS, STOKE-UPON-TRENT. MANUFACTORY ESTABLISHED 1840. NT TILE WORKS FIRST CLASS AND GOLD MEDALS AWARDE TOKE-ON-TRENT. TELEGRAPHIO ADDRESS "ASTRA, LONDON." TILES, MOSAIC TELEPHONE 5047, GERRARD. FAIENCE. MINTON & Co., 109 GREAT PORTLAND STREET, LONDON, W.

LLCOMMVNICATIONS TO BE ADDRESSED TO

MINTON, HOLLINJ&C?

PATENT TILE WORKS

STOKE-VPON-TRENT:

ESTABLISHED 1840 BY THE LATE MR HERBERT MINTON & HIS NEPHEW MR MICHAEL DAINTRY HOLLINS

HE PATENTS FOR THE MANUFACTURE OF ENCAVSTIC & PLAIN TILES BELONGED EXCLUSIVELY TO AND WERE CARRIED OVT BY THIS FIRM WHO HAVE THE SOLE RIGHT TO THE USE OF THE NAME MINTON IN THE MANUFACTURE AND SALE OF THESE TILES.

LONDON HOVSE & SHOWROOMS & MINTON&C 109 GREAT-PORTLAND W.

GENERAL LIST OF PRICES

Of Plain Flooring, Glazed, Enamelled, Embossed, &c., Tiles in Squares, Hexagons, Octagons, &c.

10 12				Per S	Square 1	Vard
Plain Ea	arthenware White, Pale Buff or Earthenware Buff Glazed Tiles, in 6	Squares, 6½" Hexago	ns, 64" Octagons, 6	×3",	S. ()	
	ll g" thick				6	0
Plain	do. do. in 6" Squares, and $6" \times 3"$, $\frac{1}{2}$ " thick				7 0	0
Plain Ea	orthenware Light Green, Dark Green, Olive or Turquoise glazed, in 6" Sq	uares, 65" Hexagons, a	nd all sizes down to	, and		
ir	neluding, $6'' \times 3''$, all $\frac{3}{8}''$ thick	***			9 0	0
Enamelle	ed Tiles—one color—Any ordinary colors, Browns, Bronzes, Greens,	Blues, &c., $6'' \times 6''$, $6'' \times$	$3, 3 \times 3$, down to	, and		
ir	neluding, 6" × 1", all 3" thick				0 0	0
Embosse	ed Majolica Tiles—one color—Any ordinary colors, Browns, Bronzes, G	reens, Blues, &c., 6" x 6"	. 6 × 3 . 3 × 3 . dov	vn to,	,	
aı	nd including $6'' \times 1''$, all $\frac{3}{8}''$ thick				0 0	0
Majolica	in colors		from	al-ta	15 (0
Embosse	ed Plain Glazed Tiles, Earthenware White, Pale Buff or Earthenware Buff	6" x 6" and 6" x 2" 3"	hick	91	0 0	
Plain Flo	oor Tiles, Black, Red, Chocolate, Light or Dark Drab, Salmon or Buff, 6"	v 6" down to and inclu	ding 6" v v" all 1" thi	ale	9	-
Plain Flo	or Tiles, Do. do. GLAZED 6" x 6" down to and including	6" " all 1" think	ung o x 1 , an g th	CK	5	0
Limiti Lit	por Tiles, Do. do. GLAZED, 6" x 6" down to, and including	o x 1, all & thick	***	115	9 0	0

		P	RIN	red	TILE	S on	WHIT	E,	Buff (3	SH	ades),	Red,	SAL	MON, DRAB	OR C	Сносо			
														Printed in any one color.		ed in o colors.	Printe Colo		
6"	× 6"	v 3	3" size											s. d.	S.		S.		
6	V 2	0	3120	***		***	***	2.00	***	***	***	2.2.2	2.22	3 0	4	6	0	0	per Dozen
									***						3	0	4	0	>>
0	× 0	× 3	,,	200	***		4.4.4		***					8 0	10	0	. 14	0	33

PRINTED TILES, ON TURQUOISE, CELADON,	HAND-MADE ENCAUSTIC TILES.	
LIGHT OR DARK GREEN BODY.	Per square S. d	yard
Printed in Printed in	Unglazed, two colors, plain, any size 15	0
any one color. any two colors. s. d. s. d.	" " vitreous " 25	
If $\%$ thick $\int 6'' \times 6''$ size 4 0 s. d. 7 o per Dozen	" three colors, plain " 18	0
If $\frac{3}{9}$ thick $\begin{cases} 6'' \times 6'' \text{ size } & \dots & 4 & 0 \\ 6 \times 3 & \dots & 3 & 6 \end{cases}$ 7 o per Dozen 5 6	" " " vitreous " 30	
	,, More ,, ,, ,, 36	0

MACHINE-MADE ENCAUSTIC TILES, IN Two Plain Colors.

			PLA	IIN	VITE	REOU	JS F	LOOR	TILES,	$\frac{1}{2}$ "	THICK.					
	(1½	" Squares and	Halves	***									s d.	per	square	yard
White or Cream	28	22	21	1.55	***	***			***		***		8 6	,,,		11
Time of Orealin	131	''	23	***	***	***	***	***	***	* * *	4.00		8 6	11		11
	41	Octagons	.,	***		***	1.53	***	***	***	9.44	14.4.4	10 6	**		11
	6				•••		***			7.00		***	9 0			41
	13	Squares and			***	***							12 6			33.
Green, Blue, or Sage	121	. 11	,, and	d Qua	rters.					***						11
	11	.,						200		1.11.7	***	4.406	15 0	**		17

ESTABLISHED 1840. TILES, MOSAIC

FAIENCE.



MANUFACTORY PATENT TILE WORKS. STOKE-ON-TRENT TELEGRAPHIO ADDRESS "ASTRA, LONDON."

TELEPHONE 5047, GERRARD.

MINTON & Co.,

109 GREAT PORTLAND STREET, LONDON, W.

LLCOMMVNICATIONS TO BE ADDRESSED TO

MINTON, HOLLINS&C?


PATENT TILE WORKS

STOKE-VPON-TRENT *

ESTABLISHED 1840 BY THE LATE MR HERBERT MINTON & HIS NEPHEW MR MICHAEL DAINTRY HOLLINS

HE PATENTS FOR THE MANUFACTURE OF ENCAYSTIC & PLAIN TILES BELONGED EXCLUSIVELY TO AND WERE CARRIED OVT BY THIS FIRM WHO HAVE THE SOLE RIGHT TO THE USE OF THE NAME MINTON IN THE MANUFACTURE AND SALE OF THESE TILES.

LONDON HOVSE & SHOWROOMS & MINTON&C 109 GREAT-PORTLAND W.



PRICES & TENDERS. * * * * * *

A Price List for Tiles only at the Manufactory is issued with this Catalogue. In executing orders it is customary to supply a small quantity of each description of Tile in excess of what will actually cover the Space, as it invariably happens that some few Tiles are either damaged during transit, or broken by the Tile-paviour when fixing. For these additional Tiles a proportionate charge is made in the Invoice. M. H. & Co. will, when desired, furnish a tender for any given quantity, including packages, delivered Carriage Paid to any Station in Great Britain. An additional Tender can also be submitted for sending a Paviour to fix the Tiles, including Cement and other expenses. To enable M. H. & Co. to submit such Tenders, the No. of the Pattern chosen must be stated, and a Plan, with correct dimensions of the space proposed to be tiled supplied to them.

EXPORT.

Tenders are also given for Tiles for Export, including strongly bound packages, NOTE 2.

and Carriage Paid to alongside Vessel in any Port in Great Britain.

NOTE 1.

PAVING TILES.

Paving Tiles are unglazed, except when used for Church Chancels, NOTE 3. where the traffic is very light, and an admixture of glazed and unglazed Tiles may then be adopted with safety and good effect. Glazed Tiles, are, however, better suited, and in fact actually intended for Walls and Dados, and for Mural decoration generally. The surface of Glazed Tiles is slippery, and consequently would, if laid in the Hall or other part of a Dwelling-house, be dangerous to walk upon. Moreover, if used in such places, the glaze would wear off in the most conspicuous part of these Floors, and the Tiling thus become unsightly. For better reference as to the use of Glazed Tiles for Mural Decoration, see Note 10 upon Dado and Wall Tiling.

When ordering Floor Tiles, it is essential that the No. of the Pattern chosen be clearly stated to NOTE 4.

M. H. & Co., and that a Ground-plan of the space intended to be paved, with accurate dimensions of every part written carefully upon it, including doorways or other recesses where Tiles are required to be fitted, should be furnished to them. These particulars enable M. H. & Co. to prepare a Working Drawing of the entire pavement, in which the Pattern chosen is arranged to the space in the most approved form. Such Working Drawing is also essential for counting and supplying the correct quantities of Tiles for completing the Pavement, and it further serves as a guide to the Tile-paviour in fixing every Tile in its proper place.

If a doubt is entertained by a Customer as to the adaptability of a certain Lithographic Pattern to any NOTE 5. particular space, M. H. & Co. would, without charge, show upon paper, drawn correctly to Scale, and properly colored, the best possible arrangement which could be made of such Pattern. To enable them to do this, a Plan with correct dimensions of the space, as explained in Note 4 should be supplied to them, and the No. of the Pattern under consideration stated. It may however be observed, that almost any of the Patterns represented in this Catalogue can, without difficulty, be adapted to Halls, Passages, &c., of any width or form.

If a selection cannot be made from the Lithographic Patterns shewn in the Catalogue, Special Designs NOTE 6. will be furnished by M. H. & Co. upon receiving a correct Plan of the space proposed to be Tiled as explained in Note 4. It is desirable in such cases that the style of the Building be stated; and also whether the place where the Tiling is to be fixed be well lighted or otherwise. Special Designs are, without doubt, preferable for works of high-class character, such as Public Halls, Churches, &c.

PAVING TILES, CONTINUED. * * * * *

NOTE 7. The plan of forming a sunken space in Pavements in which to place a door-mat is frequently adopted, and the method of constructing this Mat-space may be thus explained. An Iron or Brass frame must be made to the proper size and shape, (say either square or oblong,) to admit of the Mat being placed within it. This Iron or Brass frame is usually about ½ inch thick, by 3 inches deep; and when preparing the Foundations for the Pavement it should be placed in the position which it is intended to occupy.

The Tiles at the bottom of the Mat-space may be of the plainest description, as of course the Mat always covers them. When a Mat-space is required, an intimation to that effect should be made to M. H. & Co. at the time of giving the Order, and the size of the Mat should be stated to enable them to fit it in that position which may best suit the arrangement of the Pattern; and to shew it in its proper place in the Working-drawing of the Pavement.

NOTE 8. In selecting a Pavement for an open Verandah, or other place exposed to the Weather, it is well to avoid, as far as possible, those Patterns in which plain Buff or Drab Tiles are found, as instances have occurred where Tiles of these colors have sustained injury from damp and frost.

In the case also of Conservatory Pavements these plain Buff and Drab Tiles are not recommended, as the constant proximity of damp, combined with the effects of decayed foliage, is liable to stain them so as to render them unsightly and difficult to clean.

For all other Pavements, however, plain Buff and Drab Tiles may be freely used, being well suited thereto, and equally as durable as Tiles of any other Color.

NOTE 9. MOSAIC PAVEMENTS.

Mosaic Pavements formed of small Ceramic Tiles or Tesseræ are prepared upon paper at M. H. & Co's.

Mosaic Rooms, Stoke-upon-Trent. The pattern having been selected say from illustrations on Plates 66, 67, 68 or 69 in this Catalogue or according to a special Design as suggested by Note 5; and a Plan of the space intended to be paved, with very accurate dimensions furnished to M. H. & Co. a full sized sketch of the entire Pavement is drawn upon paper upon a perfectly flat surface. The small Tiles or Tesseræ of all the various shapes necessary for forming the Design are then fitted and gummed face downwards upon the pattern as thus drawn. When dry, the Pavement is cut up into sections convenient for packing, conveyance and fixing.

The fixing of Mosaic Pavements cannot well be performed by local workmen. It is necessary that the services of experienced Mosaic fixers be obtained, and, where possible, it is advisable that trained men direct from the Manufactory be employed, as to the cost of which M. H. & Co. will be pleased to submit Tenders on application.

NOTE 10. GLAZED DADO & WALL TILING.

The object in fixing glazed Tiles upon Walls is twofold;

first, to secure a bright and permanent effect without the constant necessity of Cleaning; and secondly, to counteract the effects of damp, and otherwise prevent the many objectionable appearances ever found in the case of ordinary Plaster or Papered Walls. Wooden dados, also, are liable to injury and damage such as are never found in Tile-Work.

GLAZED DADO & WALL TILING, CONTINUED.



It is very desirable, and particularly recommended, wherever possible, that Wall Tiles be fixed from Floor to Ceiling, and in such cases it is simply a question of taste as to whether the Design employed be the same all over, or a Dado effect adopted to the height say 4 or 5 feet from the Floor.

In some of the Patterns of Glazed Dado and Wall Tiling displayed in this Catalogue, a skirting Tile, with Moulded top, is shewn; and further, in some of the Patterns a Moulded Capping Tile in plain color is introduced at the top of the Dado. These Skirting and Capping Tiles can be executed in any Color desired. As a substitution for such Skirting and Capping Tiles, plain glazed Tites may, at less cost, be fixed flush with the other parts of the Wall Tiling. Where, however, a Dado only is required in Tile-work, a Tile Capping is essential as a finish at the top of the Dado, to separate and define the latter from the Plaster or Brick Walls above.

The advantage of Glazed Tile-Dados for Halls, Corridors, Schools, Railway Booking Offices, and other Public places must be at once apparent, and cannot be too highly recommended.

M. H. & Co. manufacture very extensively the 6x6 White glazed Tiles for lining the Walls of Areas or other places where a reflection of Light, or a pure and clean effect, is desired.

In the case of Internal Angles of a Wall, the Tiles will, in themselves, form a natural juncture, but Internal Curved Angles can be supplied if required, and for such works as Hospitals, Infirmaries, Public Conveniences, etc., they are recommended and will be found most essential for Sanitary purposes.

For External Angles an Independent Beading is indispensable, and for this purpose Tile Beadings of various sizes and shapes are made.

Combination Angle Tiles for Walls, and Sanitary Base or Skirting Tiles, are also supplied. Illustrations of these will be found on Plate 73 of this Catalogue.

CHURCH TILING.

There is no purpose to which Tiles are better adapted than NOTE 11. the decoration of the Floors and Walls of Churches. The

Encaustic Tiles found in Ancient Structures appear to have been almost exclusively associated with Church decoration; and since the revival of the Art by M. H. & Co., more than 60 years ago, many hundreds of Churches have been paved or otherwise adorned with Tiles of their manufacture. The following observations upon Tiling for Churches may be worthy of consideration:-

It is customary, and without doubt correct, that the Tile paving in the Nave or West end of a Church NOTE 12. should be subservient in effect to that used in the Chancel; or, as it may still better be described, the Tiling should increase in richness from West to East, thus securing to the Altar space the most important Pavement in the Church. There are patterns in this Catalogue appropriate, and in fact expressly adapted for Church Pavements, but in case a suitable selection cannot be made for any particular work under consideration, M. H. & Co. will be pleased to send further illustrations on application, or, if necessary, to prepare and submit a special Design, together with a Tender for the whole of the Tiling fixed complete, including every expense. To enable them to arrange such a design, it is necessary that they should be furnished with a proper ground plan, giving the exact dimensions of those

CHURCH TILING, CONTINUED.

spaces which it is intended to pave with Tiles. Particular mention may be made of the Encaustic Glazed Tiles manufactured by M. H. & Co. after antique samples, specimens of which will be submitted on application. Emblematic, Monogram, Inscription and Memorial Tiles can be introduced in Church Pavements, and Designs will be furnished on application.

- NOTE 13. TILING for STEPS: (Treads and Risers)—The Treads and Risers of Steps may, with considerable effect, be decorated with Tiling. Border Tiles or Texts are best adapted to Risers, whilst other appropriate patterns can be arranged for the Tread. It is essential that the Nosing of the Step be formed of Stone or Marble. Drawings of Tiles appropriate for Risers and Treads will be furnished on application.
- NOTE 14. The superiority of Tiling and Ceramic Mosaic for the decoration of Church Walls is indisputable, and a large number of important works have been executed by M. H. & Co. Many of the published Wall Tile designs are unsuited to the purpose, and not sufficiently characteristic for ecclesiastical decoration. Special designs will be submitted on receipt of application together with plans of the spaces to be tiled and, if possible, an approximate idea of the contemplated cost.

In the case of the East Wall, it is always necessary when giving dimensions, that the depth and length of the Altar Table be stated. A special design is particularly recommended in the case of the East Wall, because a separate and distinct effect is undoubtedly preferable over the Altar Table; and where Sacred Emblems and Monograms may be introduced with considerable effect. The appearance of the Reredos may be further enhanced by the introduction of Tiles ornamented with Gold. The Lord's Prayer, Commandments, &c., are also executed in Tile-work for the walls.

A course of Memorial or Inscription Tiles may be fixed upon the North and South Walls immediately underneath the window line, and illustrations of these will be furnished on application.

NOTE 15. FOUNDATIONS & FIXING.


Printed instructions will be furnished for the guidance of local workmen on application.


NOTE 16. FAIENCE. This is now very generally used and strongly recommended for the Interior and Exterior Decoration of Public Buildings, Hotels, etc., etc., and special Designs adapted to the work will be submitted on application, or, if preferred, M. H. & Co. will be pleased to carry out work to Architects' own Designs or Suggestions.


MANYFACTORY & SHOWROOMS LONDON LONDON


MANVFACTORY & SHOWROOMS
PATENT · TILE · WORKS ·
STOKE-VPON-TRENT ·


LONDON 50 CONDVIT STREET REGENT STREET · W ·














MANVFACTORY & SHOWROOMS
PATENT · TILE · WORKS ·
STOKE-VPON-TRENT ·

LONDON 50 CONDVIT STREET REGENT STREET · W·

























MINTON HOLLINS & CO. BY-PRIVATE ANT. MANYFACTORY & SHOWROOMS LONDON


MANVFACTORY & SHOWROOMS
PATENT-TILE-WORKS •
STOKE-VPON-TRENT •


LONDON 50 CONDVIT STREET REGENT STREET • W •








































MANVFACTORY & SHOWROOMS
PATENT · TILE · WORKS ·
STOKE-VPON-TRENT ·


LONDON 50 CONDVIT STREET REGENT STREET · W ·










































LONDON 50 CONDVIT STREET REGENT STREET .W.

































IN TON TILES

MINTON HOLLINS & C.º


MANVFACTORY & SHOWROOMS
PATENT TILE WORKS


STOKE-VPON-TRENT


LONDON 50 CONDVIT STREET REGENT STREET · W·








































MANYFACTORY & SHOWROOMS
PATENT · TILE · WORKS ·
STOKE-VPON-TRENT ·


LONDON 50 CONDVIT STREET REGENT STREET • W •






































50 CONDVIT STREET REGENT STREET . W .

DESIGNS OF PAVEMENTS FOR PASSAGES, CORRIDORS, ENTRANCES, &c.








MINTON HOLLINS & CO


50 CONDVIT STREET REGENT STREET . W .

ENAMELLED DADO AND WALL TILING.


No. 518



No. 519



No. 520






No. 521




No. 522







No. 524





ENAMELLED DADO TILING.












Inch Scale.







CERAMIC MOSAIC PAVEMENTS.






No. 530.






No. 531.


No. 532.








50 CONDUIT STREET REGENT STREET · W ·


CERAMIC MOSAIC PAVEMENTS.




























LITH. LEICESTER




CERAMIC MOSAIC PAVEMENTS.



J. FLEMING & Co.








MANVFACTORY & SHOWROOMS


LONDON 50 CONDVIT STREET REGENT STREET . W .

CERAMIC MOSAIC PAVEMENTS.


















MINTON HOLLINS & CO. BY. REVALL WAS LEADED.

MANVEACTORY & SHOWROOMS
PATENT TILE WORKS •
STOKE-VPON-TRENT •


LONDON 50 CONDVIT STREET REGENT STREET • W •

ENAMELLED AND MAJOLICA DADO AND WALL TILING.












J. FLEMING & Co.









MANVFACTORY & SHOWROOMS LONDON


PATENT-TILE-WORKS • STOKE-VPON-TRENT .


50 CONDVIT STREET REGENT STREET · W ·

ENAMELLED AND MAJOLICA DADO AND WALL TILING.











J. FLEMING & CO.










PATENT TILE WORKS, STOKE-ON-TRENT.

SPECIAL SANITARY TILING SUITABLE FOR INFIRMARIES, HOSPITALS, LAVATORIES, BATHROOMS, &c.







LETTERS AND NUMBERS FOR STREET NAMES, SIGNS IN FLOORS, DOOR NUMERALS, &c.

SERIES 2917.

INDESTRUCTIBLE SPACING TILES IN

SPACING TILES IN
1" 13" and 3" WIDTHS.

LETTERING

SPACING TILES IN
1" 13" and 3" WIDTHS.

1234567890

St Sp & c .

These Letters and Numerals can be supplied in Black on White Ground. (Series 2916).

SERIES 2919 (BLACK OR BLUE GROUND).



PQRSTUVWXZ

SPACING TILES IN
1" 11 and 3" WIDTHS.

12

DOOR NUMERALS.

•104•

•3

12

FIRE PLUG INDICATOR.


RIGHT.

F.P.

Scale: 2 Inches to one foot.





All MINTON TILES bear the name "MINTON HOLLINS & Co." impressed on the back.







MINTON TILES FOR FLOWER BOXES.

































































WARWICK SAVAGE, PRINTER, BURSLEM.


SCALE 2 INCH = 1 FOOT.







P 252









109 GREAT PORTLAND ST., W.























SCALE $1\frac{1}{2} = 1$ FOOT.

Designs shewing Slabbed Panels, in Hand Painted, Raised Outline and Majolica Tiles for Grate Cheeks, Fireplace Openings, &c. Also Hearths in Plain Enamels and Majolica to match Panels. These can be supplied in other combinations of colours as required.

PLATE No. 76.

90 90

Designs of Wall Tiling in Antique Enamels, with handraised decoration. These arrangements are suitable for
Public Buildings, Banks, Hotels, Restaurants, Offices, &c.
They have a very quaint and pleasing effect.

Further designs can be supplied on application.



RICHLY GLAZED ANTIQUE TILES.

No. 568






PLATE No. 77.


90 90


Enamelled and Earthenware Glazed Dado for Entrances, Corridors, Staircases, &c.

Nos. 572 & 573 are designed in the "Adam" Style. We can supply other schemes of color, and give complete estimates on being supplied with plans and measurements.



SUGGESTIONS FOR DADO TILING.










PLATE No. 78.

90 90

We beg to draw the attention to our clients to the designs for Shops, &c.


The Majolica Tiles and Enamels are rich in colour and produce a very pleasing effect.


These may be had in any Shade, and special Friezes, in Hand Painted and Raised Outline can be used instead of the ones shown on sheet.


MINTON HOLLINS & CO MANVFACTORY & SHOWROOMS LONDON PATENT TILE WORKS 100 GREAT PORTLAND ST,W.

SUGGESTIONS FOR DADOS AND OVERWALLS WITH FRIEZES.

STOKE-VPON-TRENT .







WARWICK SAVAGE, PRINTER, BURSLEM.

PLATE No. 79.


90 90

We give here a few new arrangements of tiling for Butchers' Shops, Dairies, &c., with a series of printed subjects introduced.


We wish to make mention of Design No. 578, in which no projecting moulds are used. The base could be supplied with a cavetto tile, thus making a good finish to the floor and leaving no place for dirt to accumulate.



SUGGESTIONS FOR SHOP TILING.








SCALE | INCH = | FOOT.

PLATE No. 80.

00000

We here show a few Slabbed Panels, suitable for Fireplaces, Interiors, &c., in Majolica, Raised Outline, and latest Styles in Art. They can be supplied in various colourings, as may be required.

Hearths to these Panels can be supplied plain or enriched.




INTONATILES


MINTON HOLLINS & CO. BY-ROYAL-WARRANT.


MANVFACTORY & SHOWROOMS
PATENT · TILE · WORKS ·
STOKE-VPON-TRENT ·


LONDON 109 GREAT PORTLAND ST,W.


SLABBED PANELS AND HEARTHS.























WARWICK SAVAGE, PRINTER, BURSLEM.

PLATE No. 81.

90 90


Suggestions of Hand-raised Line Friezes, for the tiling of Shops, &c.


These can be designed to suit Butchers, Fish, Game, Poultry and general shop work. They may also be used as Friezes to any of the arrangements on Plates 78 & 79.



HAND-RAISED OUTLINE FRIEZES.









WARWICK SAVAGE, PRINTER, BURSLEM.

PLATE No. 82.

90 90

We here show a small selection of our latest designs in Majolica, Embossed and Hand-raised Line Decoration, suitable for Hearths, Grate Cheeks, Furniture, and introducing in Wall Tiling.

The Slabbed Panels are executed in Hand-raised Line, Majolica and Hand Painted. Tile Surrounds in Enamel and Painted Ornament.

Hearths can be supplied in colours to harmonise with Panels. Kerbs in any colour.

All these Tiles are carried out in our rich enamel colours.

SCALE I INCH TO A FOOT.

SAVAGE, LITHO, BURSLEM, ENGLAND

PLATE No. 84.

90 90

Suggestions of Mosaic suitable for Shops, &c., in various colours.

We should be pleased to supply special designs, at any time, in case those shown do not quite meet our customer's views.




MINTON HOLLINS & Co.


MANVFACTORY & SHOWROOMS PATENT · TILE · WORKS ·








LONDON 109 GREAT PORTLAND ST,W.


































TILE PAVING AT ST. ALBAN'S ABBEY, BY MINTON HOLLINS & Co., FOR SIR GILBERT SCOTT. MOST OF THESE ENCAUSTIC TILES ARE RE-PRODUCED FROM OLD ST. ALBAN'S TILES. ALL ARE OF ROUGH BODY WITH RICH YELLOW GLAZE.

STOKE-VPON-TRENT •

No. 598




PORTION OF ALTAR SPACE, ALL GLAZED.



PORTION OF TRANSEPT, ALL GLAZED.



CHOIR SPACE, ENCAUSTIC TILES ONLY GLAZED.



SIDE PASSAGE, ENCAUSTIC TILES ONLY GLAZED.



ENCAUSTIC TILES ONLY GLAZED.

PLATE No. 86.

90 90

Designs of Tiling suitable for Chancel Spaces and Aisles. The majority of the Encaustic Tiles were designed by E. W. Pugin, and other well known Architects.

If desired, ornamental Centre Pieces may be used instead of the Emblems. We have a large selection of these Ecclesiastical Tiles which can be used.


We should be pleased to prepare special designs for this class of work.





STOKE-VPON-TRENT .


100 GREAT PORTLAND ST,W.

ECCLESIASTICAL TILING.
















SAVACE, LITHO. BURSLEM, ENGLAND.


SCALE 3/4 IN. TO A FOOT.







MOULDED TILE CAPPINGS, SKIRTINGS AND CORNICES.












































M. 1502















M, 1472




2741 .M




a .los

M. 1453





J. los































PLATE No. 83.

90 90

Designs for Ceramic Mosaic Pavements, suitable for Entrances, Halls, Vestibules, Passages, &c.

This being a speciality of ours we are able to produce excellent designs in a variety of bright colours at a moderate cost.

Accurate plans and dimensions are necessary to enable us to prepare the Mosaic.



CERAMIC MOSAIC PAVEMENTS.

